Progress Notes **Canadian Wildlife Service**

Progress Notes contain timely data and conclusions and are presented as a service to other wildlife biologists and agencies.

Erratum June 1986
Progress Note No. 159, March 1986

Annual report to banders — Summary of bird banding in Canada in 1982

by S. Wendt, L. Métras, and A. Demers

Table 5, page 8.

The following section, numbers 248.0 to 511.0 inclusive, was omitted from the above Progress Note:

Table 5
Number of birds banded in Canada in 1982 listed by species and region

AOU No.	Species	No. banders	No. banded											
			Nfld.	PEI	NS	NB	Que.	Ont.	Man.	Sask.	Alta.	BC	NWT	Yukon	Total
248.0	Sanderling	2	0	0	0	0	0	27	0	0	0	0	0	0	27
251.0	Hudsonian Godwit	1	0	0	0	0	0	15	0	0	0	0	0	0	15
254.0	Greater Yellowlegs	1	0	0	0	0	0	20	0	0	0	0	0	0	20
255.0	Lesser Yellowlegs	3	0	0	0	0	0	98	0	0	0	5	0	0	103
256.0	Solitary Sandpiper	3	0	0	0	0	0	3	0	0	0	1	0	0	4
258.0	Willet	1	0	0	0	0	0	0	0	0	1	0	0	0	1
262.0	Buff-breasted Sandpiper	1	0	0	0	0	0	1	0	0	0	0	0	0	1
263.0	Spotted Sandpiper	10	0	0	0	0	0	70	2	0	0	6	0	0	78
265.0	Whimbrel	1	0	0	0	0	0	2	0	0	0	0	0	0	2
270.0	Black-bellied Plover	1	0	0	0	0	0	2	0	0	0	0	0	0	2
272.0	Lesser Golden Plover	1	0	0	0	0	0	5	0	0	0	0	0	0	5
273.0	Killdeer	9	0	0	0	1	0	20	0	0	0	2	2	0	25
274.0	Semipalmated Plover	5	0	0	0	101	0	83	2	0	0	25	0	0	211
277.0	Piping Plover	1	0	0	0	0	0	0	22	0	0	0	0	0	22
283.0	Ruddy Turnstone	2	0	0	0	0	0	19	0	0	0	1	0	0	20
316.0	Mourning Dove	15	0	0	0	0	0	134	0	0	0	0	0	0	134
331.0	Marsh Hawk	8	0	0	1	19	0	40	0	9	0	1	0	0	70
332.0	Sharp-shinned Hawk	15	0	0	42	1	0	1 587	0	0	1	4	0	0	1 635
333.0	Cooper's Hawk	10	0	0	0	0	0	76	0	8	4	3	0	0	91
334.0	Northern Goshawk	6	0	0	0	0	1	15	0	0	1	0	0	0	17
337.0	Red-tailed Hawk	12	0	0	0	0	2	196	0	9	36	9	0	0	252
339.0	Red-shouldered Hawk	2	0	0	0	0	0	6	0	0	0	0	0	0	6
342.0	Swainson's Hawk	6	0	0	0	0	0	0	1	115	68	0	0	0	184
343.0	Broad-winged Hawk	4	0	0	0	0	0	10	1	0	0	0	0	0	11
347.0	Rough-legged Hawk	6	0	0	0	0	1	13	0	0	0	0	0	0	14
348.0	Ferruginous Hawk	2	0	0	0	0	0	0	0	61	107	0	0	0	168
349.0	Golden Eagle	1	0	0	0	0	0	0	0	1	0	0	0	0	1
352.0	Bald Eagle	6	0	4	67	0	0	35	0	27	0	0	0	1	134
354.7	Gyrfalcon	1	0	0	0	0	0	0	0	0	0	0	0	5	5
355.0	Prairie Falcon	2	0	0	0	0	0	0	0	23	1	0	0	0	24
356.0	Peregrine Falcon	6	0	0	0	0	1	0	0	2	0	13	50	34	100
357.0	Merlin	8	0	0	0	0	0	10	0	128	10	0	0	0	148
360.0	American Kestrel	21	0	0	12	0	38	667	15	7	17	0	6	0	762
364.0	Osprey	6	0	24	1	0	0	2	0	16	0	0	2	0	45
365.0	Common Barn-Owl	1	0	0	0	0	0	10	0	0	0	0	0	0	10
366.0	Long-eared Owl	7	0	0	5	0	0	22	0	1	4	0	0	0	32
367.0	Short-eared Owl	3	0	0	0	1	0	3	1	0	0	0	0	0	5
368.0	Barred Owl	1	0	0	0	0	0	4	0	0	0	0	0	0	4
370.0	Great Gray Owl	3	0	0	0	0	0	1	6	0	1	0	0	0	8
371.0	Boreal Owl	1	0	0	0	0	0	14	0	0	0	0	0	0	14
372.0	Northern Saw-whet Owl	8	0	0	15	0	0	365	0	0	1	0	0	0	381

Environment Canada Environnement Canada

Table 5 (continued)
Number of birds banded in Canada in 1982 listed by species and region

AOU No.	Species	No. banders	No. banded												
			Nfld.	PEI	NS	NB	Que.	Ont.	Man.	Sask.	Alta.	BC	NWT	Yukon	Total
373.0	Eastern Screech-Owl	7	0	0	0	0	1	23	1	0	0	0	0	0	25
375.0	Great Horned Owl	11	0	2	4	0	0	23	5	199	10	0	0	0	243
376.0	Snowy Owl	4	0	0	0	0	0	10	0	0	0	0	0	0	10
377.0	Northern Hawk-Owl	3	0	0	0	0	0	2	0	0	1	0	0	0	3
378.0	Burrowing Owl	2	0	0	0	0	0	0	102	112	0	0	0	0	214
387.0	Yellow-billed Cuckoo	1	0	0	0	0	0	5	0	0	0	0	0	0	5
388.0	Black-billed Cuckoo	9	0	0	1	0	1	28	1	0	0	0	0	0	31
390.0	Belted Kingfisher	7	0	0	0	0	2	26	0	0	0	0	0	0	28
393.0	Hairy Woodpecker	16	0	0	1	0	0	54	0	1	6	0	0	0	62
394.0	Downy Woodpecker	25	8	0	2	0	0	139	3	0	27	0	0	0	179
400.0	Black-backed Woodpecker	1	0	0	3	0	0	0	0	0	0	0	0	0	3
402.0	Yellow-bellied Sapsucker	12	3	0	1	13	2	49	0	0	3	0	0	0	71
406.0	Red-headed Woodpecker	2	0	0	0	0	0	43	0	0	0	0	0	0	43
409.0	Red-bellied Woodpecker	2	0	0	0	0	0	2	0	0	0	0	0	0	2
412.0	Yellow-shafted Flicker	24	2	0	10	3	3	269	0	0	2	0	0	0	289
417.0	Whip-poor-will	3	0	0	0	0	0	4	0	0	0	0	0	0	4
420.0	Common Nighthawk	4	0	0	0	0	0	5	0	0	0	0	0	0	5
423.0	Chimney Swift	2	0	0	0	0	1	1	0	0	0	0	0	0	2
428.0	Ruby-throated Hummingbird	2	0	0	0	0	1	0	6	0	0	0	0	0	7
444.0	Eastern Kingbird	12	0	0	2	0	0	146	7	0	1	0	0	0	156
447.0	Western Kingbird	1	0	0	0	0	0	0	2	0	0	0	0	0	2
452.0	Great Crested Flycatcher	10	0	0	0	0	0	79	2	0	0	0	0	0	81
456.0	Eastern Phoebe	13	0	0	0	0	0	66	1	0	1	0	0	0	68
459.0	Olive-sided Flycatcher	6	0	0	1	0	0	8	0	0	2	0	0	0	11
461.0	Eastern Wood-Pewee	11	0	0	6	0	0	208	4	0	0	0	0	0	218
462.0	Western Wood-Pewee	2	0	0	0	0	0	0	0	0	11	2	0	0	13
463.0	Yellow-bellied Flycatcher	19	102	0	20	18	6	249	16	0	6	0	0	0	417
465.0	Acadian Flycatcher	3	0	0	0	0	0	5	0	0	0	0	0	0	5
466.0	Willow Flycatcher	17	0	0	9	7	1	340	83	0	45	0	0	0	485
466.3	Alder Flycatcher	1	0	0	0	0	0	5	0	0	0	0	0	0	5
467.0	Least Flycatcher	23	0	0	15	1	2	1 015	209	0	108	1	0	0	1 351
467.9	Unidentified Empidonax	1	0	0	0	0	0	2	0	0	0	0	0	0	2
474.0	Horned Lark	9	0	0	0	0	0	274	0	1	0	0	1	0	276
475.0	Black-billed Magpie	3	0	0	0	0	0	0	0	52	7	0	0	0	59
477.0	Blue Jay	29	0	0	57	3	0	647	0	2	39	0	0	0	748
478.0	Steller's Jay	1	0	0	0	0	0	0	0	0	0	20	0	0	20
484.0	Gray Jay	4	1	0	0	0	0	68	0	0	0	0	0	0	69
486.0	Common Raven	2	0	0	2	0	0	0	0	0	0	0	4	0	6
488.0	American Crow	6	0	0	20	0	0	2	0	22	52	0	0	0	96
489.0	Northwestern Crow	1	0	0	0	0	0	0	0	0	0	32	0	0	32
493.0	European Starling	17	0	0	0	0	7	780	0	0	1	3	0	0	791
494.0	Bobolink	4	0	0	0	0	0	20	0	0	0	0	0	0	20
495.0	Brown-headed Cowbird	26	0	0	0	0	13	379	11	0	2	0	0	0	405
497.0	Yellow-headed Blackbird	2	0	0	0	0	0	0	0	455	3	0	0	0	458
498.0	Red-winged Blackbird	29	0	0	7	0	86	1 013	627	649	21	5	0	0	2 408
501.0	Eastern Meadowlark	4	0	0	0	0	0	98	0	0	0	0	0	0	98
501.1	Western Meadowlark	1	0	0	0	0	0	0	16	0	0	0	0	0	16
506.0	Orchard Oriole	3	0	0	0	0	0	2	12	0	0	0	0	0	14
507.0	Baltimore Oriole	22	0	0	10	0	0	311	76	0	30	0	0	0	427
509.0	Rusty Blackbird	3	0	0	0	0	0	94	0	0	0	0	0	0	94
510.0	Brewer's Blackbird	2	0	0	0	0	0	0	0	0	3	0	0	0	3
511.0	Common Grackle	23	0	0	29	0	23	408	2	5	0	0	0	0	467

Progress Notes **Canadian Wildlife Service**

Progress Notes contain timely data and conclusions and are presented as a service to other wildlife biologists and agencies.

Disponible également en français

No. 159, March 1986

Annual report to banders — Summary of bird banding in Canada in 1982

by S. Wendt[1], L. Métras[1], and A. Demers[1]

Introduction

This report summarizes bird banding activity in Canada in 1982. It provides information on the number of banders in Canada and the number of birds banded, and on the distribution of bandings by species and region.

Methods

Canadian banding records for 1982 were selected from the North American Bird Banding file, using December 1983 as the cut-off date for entries into the computer.

Results

The total number of birds banded in 1982 was 195 397 compared to 178 422 in 1981; they consisted of 299 species, subspecies, and hybrids (Table 1). In addition to the 148 active master permits in 1982, an increase of 11% from the 1981 total, there were one or more active subpermit holders for most master permits.

Figure 1 shows the annual totals of game birds and non-game birds banded in Canada between 1955 and 1982. More of both game and non-game birds were banded in 1982 than in 1981.

Figure 2 shows locations of banding in Canada in 1982. Most banding stations were in southern regions, near population centres. In Alberta and Saskatchewan banding took place throughout most of the southern halves of the provinces, a good deal of it in conjunction with studies of waterfowl.

Ontario had the greatest number of active master permit holders (77 or 52%) and accounted for 41% of the birds banded in 1982 (80 430), covering 78% of the species banded (232). The next most active province was Alberta, where 13 master banders (9% of the total) banded 21 347 birds of 125 species, including 11% of total birds and 42% of species (Table 1).

Table 2 compares numbers of non-game and game birds banded by region: 88% of species banded (263) were non-game birds, accounting for 51% of total bandings (100 157). Bandings of 36 game species contributed 49% of birds banded (95 240).

The three most commonly banded game and non-game species in each region are given in Table 3. Mallard was one of the three most commonly banded game species in Canada everywhere except Newfoundland, Nova Scotia, and New Brunswick.

Table 4 summarizes the numbers of game and non-game birds requiring a status code other than 300 (normal wild bird) after banding[2].

Table 5 lists the numbers of birds banded in each province and territory in 1982 by species.

Acknowledgements

We thank all those who banded birds in Canada in 1982 for providing their time, co-operation, and data. K. Klimkiewicz and A. Davenport of the US Bird Banding Laboratory supplied computer tapes of the North American banding records. A. Legere and M. Gratton, Department of Environment Computing and Applied Statistics Directorate, prepared data for the map and tables. B. Cromie, Department of Energy, Mines and Resources Surveys and Mapping Branch, prepared the map.

[1]CWS, Ottawa, Ontario K1A 0E7.

[2]For an explanation of the codes see "North American bird banding", 1984, Vol. 1, Part 5, published by Canadian Wildlife Service.

Figure 1
Number of birds banded in Canada in 1955–82 period



Figure 2
Map of banding locations in Canada, 1982



Table 1
Numbers of bird banders and birds banded by region, 1982

	Active master permits				Birds banded				Species banded			
	No.		% total*		No.		% total		No.		% total*	
Region	1981	1982	1981	1982	1981	1982	1981	1982	1981	1982	1981	1982
Nfld.	4	5	3	3	3 882	4 641	2	2	51	50	17	17
PEI	1	1	1	1	383	682	<1	<1	7	8	2	3
NS	7	6	5	4	7 729	6 458	4	3	112	109	37	36
NB	5	9	3	6	5 711	5 684	3	3	84	79	27	26
Que.	13	11	9	7	3 354	8 760	2	5	85	84	28	28
Ont.	75	77	52	52	74 342	80 430	42	41	230	232	75	78
Man.	10	10	7	7	23 058	29 529	13	15	83	99	27	33
Sask.	15	12	10	8	20 501	24 839	12	13	64	59	21	20
Alta.	16	13	11	9	28 408	21 347	16	11	135	125	44	42
BC	11	9	8	6	3 410	5 563	2	3	84	57	27	19
NWT	10	12	7	8	7 301	7 125	4	4	29	26	9	9
Yukon	2	1	1	1	343	339	<1	<1	10	7	3	2
Canada	143†	148†	—	—	178 422	195 397	100	100	306	299	—	—

*These columns do not total 100% because some banders band in more than one province and some species are banded in more than one province.
†The total here counts each bander only once, although some banders band in more than one province.

Table 2
Numbers and percentages of non-game and game* birds banded in each region, 1982

Region	Non-game species	% region total	Non-game birds	% region total	Game species	% region total	Game birds	% region total
Nfld.	41	82	3 474	75	9	18	1 167	25
PEI	3	37	30	4	5	63	652	96
NS	91	83	3 485	54	18	17	2 973	46
NB	64	81	3 934	69	15	19	1 750	31
Que.	71	85	827	9	13	15	7 933	91
Ont.	211	91	66 760	83	21	9	13 670	17
Man.	76	77	3 659	12	23	23	25 870	88
Sask.	38	64	3 498	14	21	36	21 341	86
Alta.	110	88	7 210	34	15	12	14 137	66
BC	54	95	4 396	79	3	5	1 167	21
NWT	20	77	2 844	40	6	23	4 281	60
Yukon	3	43	40	12	4	57	299	88
Canada	263	88	100 157	51	36	12	95 240	49

*In the category of migratory game birds, we have included the family Anatidae, the family Gruidae, the family Rallidae, American Woodcock, Common Snipe, and the family Columbidae. Game birds that were not hunted in Canada in 1982 because of closed seasons were not included.

Table 3
Most commonly banded game and non-game species by region, 1982

	Game			Non-game		
Region	AOU No.	Common name	Total	AOU No.	Common name	Total
Nfld.	1390	American Green-winged Teal	598	1060	Leach's Storm-Petrel	1 189
	1330	Black Duck	437	1170	Northern Gannet	394
	1430	Northern Pintail	91	0130	Atlantic Puffin	371
PEI	1330	Black Duck	609	3640	Osprey	24
	1321	Mallard × Black Duck hybrid	30	3520	Bald Eagle	4
	1320	Mallard	11	3750	Great Horned Owl	2
NS	1330	Black Duck	1 428	1060	Leach's Storm-Petrel	1 064
	1390	American Green-winged Teal	371	6550	Myrtle Warbler	196
	1400	Blue-winged Teal	348	6570	Magnolia Warbler	184
NB	1330	Black Duck	758	2460	Semipalmated Sandpiper	1 962
	1400	Blue-winged Teal	572	1060	Leach's Storm-Petrel	548
	1370	American Wigeon	146	6870	American Redstart	147
Que.	1320	Mallard	2 927	5670	Slate-coloured Junco	119
	1330	Black Duck	1 910	4980	Red-winged Blackbird	86
	1400	Blue-winged Teal	1 424	6470	Tennessee Warbler	76
Ont.	1320	Mallard	5 545	5280	Common Redpoll	8 455
	1720	Canada Goose	3 584	5340	Snow Bunting	3 766
	1400	Blue-winged Teal	1 537	2460	Semipalmated Sandpiper	3 088
Man.	1320	Mallard	12 397	6520	Yellow Warbler	840
	1400	Blue-winged Teal	5 324	4980	Red-winged Blackbird	627
	1690	Lesser Snow Goose (white phase)	3 595	2230	Red-necked Phalarope	271
Sask.	1320	Mallard	13 654	4980	Red-winged Blackbird	649
	1400	Blue-winged Teal	4 063	6140	Tree Swallow	525
	1430	Northern Pintail	1 297	4970	Yellow-headed Blackbird	455
Alta.	1320	Mallard	5 499	1200	Double-crested Cormorant	950
	1400	Blue-winged Teal	4 156	6140	Tree Swallow	616
	1430	Northern Pintail	2 055	6110	Purple Martin	572
BC	1720	Canada Goose	1 014	2470	Western Sandpiper	2 663
	1530	Bufflehead	89	7610	American Robin	614
	1520	Barrow's Goldeneye	64	2420	Least Sandpiper	477
NWT	1720	Canada Goose	2 000	0310	Thick-billed Murre	2 062
	1320	Mallard	1 292	0270	Black Guillemot	283
	1430	Northern Pintail	869	0400	Black-legged Kittiwake	171
Yukon	1390	American Green-winged Teal	283	3560	Peregrine Falcon	34
	1710	Greater White-fronted Goose	14	3547	Gyrfalcon	5
	1400	Blue-winged Teal	1	3520	Bald Eagle	1
	1720	Canada Goose	1			

Table 4
Status of banded birds (excluding normal wild birds), 1982

Status	Codes*	Game birds		Non-game birds	
		No. spp.	No. birds	No. spp.	No. birds
Held and/or transported	603, 611, 612, 613, 636, 656, 675	9	6 789	34	142
Colour-marked	602, 608, 619, 623, 639, 651, 667, 669	14	1 024	41	7 370
Injured or sick	615, 621, 660, 638	2	3	77	527
Hand-reared or game-farm	400, 401, 402	9	1 620	20	116
Web-tagged, wing-clipped	459, 409	2	30	0	0
Double-banded	607	0	0	2	253
Radio transmitter attached	689	5	97	4	48
Blood sample taken	618	4	1 086	35	1 113
Miscellaneous	485, 642, 685	0	0	26	364
Total		45	10 649	239	9 933

*For explanation of the codes see "North American bird banding", 1984, Vol. 1, Part 5, published by Canadian Wildlife Service.

Table 5
Number of birds banded in Canada in 1982 listed by species and region

AOU No.	Species	No. banders	No. banded												
			Nfld.	PEI	NS	NB	Que.	Ont.	Man.	Sask.	Alta.	BC	NWT	Yukon	Total
003.0	Horned Grebe	1	0	0	0	0	0	3	0	0	0	0	0	0	3
006.0	Pied-billed Grebe	2	0	0	28	1	0	3	0	0	0	0	0	0	32
007.0	Common Loon	2	0	0	0	0	0	2	0	0	0	0	0	0	2
013.0	Atlantic Puffin	2	371	0	0	0	0	0	0	0	0	0	1	0	372
027.0	Black Guillemot	3	0	0	0	4	0	0	0	0	0	0	283	0	287
030.0	Common Murre	1	65	0	0	0	0	0	0	0	0	0	0	0	65
031.0	Thick-billed Murre	2	22	0	0	0	0	0	0	0	0	0	2 062	0	2 084
032.0	Razorbill	1	53	0	0	0	0	0	0	0	0	0	0	0	53
039.0	Ivory Gull	1	0	0	0	0	0	0	0	0	0	0	113	0	113
040.0	Black-legged Kittiwake	2	72	0	0	0	0	0	0	0	0	0	171	0	243
042.0	Glaucous Gull	1	0	0	0	0	0	0	0	0	0	0	35	0	35
044.0	Glaucous-winged Gull	1	0	0	0	0	0	0	0	0	0	5	0	0	5
045.0	Kumlien's Gull	1	0	0	0	0	0	0	0	0	0	0	39	0	39
047.0	Great Black-backed Gull	2	0	0	48	105	0	0	0	0	0	0	0	0	153
051.0	Herring Gull	11	136	0	0	57	0	496	0	0	0	4	0	0	693
051.9	Thayer's Gull	1	0	0	0	0	0	0	0	0	0	1	0	0	1
053.0	California Gull	1	0	0	0	0	0	0	0	270	0	0	0	0	270
054.0	Ring-billed Gull	9	0	0	0	0	0	2 379	0	252	0	0	0	0	2 631
060.0	Bonaparte's Gull	1	0	0	0	0	0	2	0	0	0	0	0	0	2
070.0	Common Tern	4	0	0	39	0	0	32	0	0	0	0	0	0	71
071.0	Arctic Tern	1	0	0	4	0	0	0	0	0	0	0	0	0	4
072.0	Roseate Tern	1	0	0	1	0	0	0	0	0	0	0	0	0	1
077.0	Black Tern	1	0	0	0	0	0	0	0	0	0	44	0	0	44
106.0	Leach's Storm-Petrel	4	1 189	0	1 064	548	0	0	0	0	0	0	0	0	2 801
117.0	Northern Gannet	1	394	0	0	0	0	0	0	0	0	0	0	0	394
120.0	Double-crested Cormorant	5	0	0	0	0	0	1 482	0	77	950	0	0	0	2 509
125.0	American White Pelican	2	0	0	0	0	0	0	0	175	300	0	0	0	475
129.0	Common Merganser	1	0	0	0	1	0	0	0	0	0	0	0	0	1
131.0	Hooded Merganser	4	0	0	1	2	0	3	1	1	0	0	0	0	8
132.0	Mallard	37	5	11	24	17	2 927	5 545	12 397	13 654	5 499	0	1 292	0	41 371
132.1	Mallard x Black Duck hybrid	12	0	30	17	15	95	126	13	4	0	0	0	0	300
133.0	Black Duck	29	437	609	1 428	758	1 910	1 208	51	17	1	0	0	0	6 419
135.0	Gadwall	14	0	0	0	0	2	19	17	329	72	0	0	0	439
137.0	American Wigeon	14	2	0	30	146	2	13	18	74	88	0	0	0	373
139.0	American Green-winged Teal	26	598	1	371	98	910	440	190	393	314	0	64	283	3 662
140.0	Blue-winged Teal	28	10	0	348	572	1 424	1 537	5 324	4 063	4 156	0	53	1	17 488
140.1	Unidentified Teal	1	0	0	0	0	0	0	0	0	36	0	0	0	36
142.0	Northern Shoveler	12	0	0	4	15	0	2	30	3	12	0	3	0	69
143.0	Northern Pintail	22	91	1	55	17	84	60	436	1 297	2 055	0	869	0	4 965
144.0	Wood Duck	16	0	0	205	43	549	759	20	153	0	0	0	0	1 729
145.0	Unidentified or hybrid duck	1	0	0	0	0	0	0	2	0	0	0	0	0	2
146.0	Redhead	13	0	0	3	0	0	61	466	248	81	0	0	0	859
147.0	Canvasback	8	0	0	0	0	0	0	28	59	33	0	0	0	120
148.0	Greater Scaup	1	0	0	0	0	0	2	0	0	0	0	0	0	2
149.0	Lesser Scaup	10	0	0	0	0	1	83	4	81	23	0	0	0	192
150.0	Ring-necked Duck	8	0	0	104	57	6	21	9	4	1	0	0	0	202
151.0	Common Goldeneye	5	4	0	8	6	0	0	5	7	0	0	0	0	30
152.0	Barrow's Goldeneye	2	8	0	0	0	0	0	0	0	0	64	0	0	72
153.0	Bufflehead	5	0	0	0	0	0	47	0	9	0	89	0	0	145
160.0	Common Eider	2	0	0	232	0	4	0	0	0	0	0	0	0	236
165.0	White-winged Scoter	1	0	0	0	0	0	0	0	2	0	0	0	0	2
167.0	Ruddy Duck	5	0	0	3	0	0	0	5	1	1	0	0	0	10
169.0	Lesser Snow Goose (white phase)	1	0	0	0	0	0	0	3 595	0	0	0	0	0	3 595
169.1	Lesser Snow Goose (blue phase)	1	0	0	0	0	0	0	1 538	0	0	0	0	0	1 538
169.9	Greater Snow Goose	1	0	0	0	0	19	0	0	0	0	0	0	0	19
170.0	Ross' Goose	1	0	0	0	0	0	0	1	0	0	0	0	0	1
170.3	Snow x Ross' Goose hybrid	1	0	0	0	0	0	0	2	0	0	0	0	0	2
171.0	Greater White-fronted Goose	1	0	0	0	0	0	0	0	0	0	0	0	14	14
172.0	Canada Goose	17	12	0	113	1	0	3 584	1 718	941	1 765	1 014	2 000	1	11 149
181.0	Trumpeter Swan	1	0	0	0	0	0	0	0	0	0	10	0	0	10
191.0	Eastern Least Bittern	1	0	0	0	0	0	4	0	0	0	0	0	0	4

(cont'd)

Table 5 *(cont'd)*
Number of birds banded in Canada in 1982 listed by species and region

AOU No.	Species	No. banders	No. banded												
			Nfld.	PEI	NS	NB	Que.	Ont.	Man.	Sask.	Alta.	BC	NWT	Yukon	Total
194.0	Great Blue Heron	4	0	0	0	0	0	7	0	0	0	1	0	0	8
202.0	Black-crowned Night-Heron	2	0	0	0	0	0	21	0	1	0	0	0	0	22
204.0	Whooping Crane	1	0	0	0	0	0	0	0	0	0	0	5	0	5
212.0	Virginia Rail	1	0	0	0	0	0	2	0	0	0	0	0	0	2
214.0	Sora	1	0	0	0	0	0	2	0	0	0	0	0	0	2
219.0	Common Moorhen	1	0	0	0	0	0	1	0	0	0	0	0	0	1
221.0	American Coot	2	0	0	26	2	0	4	0	0	0	0	0	0	32
222.0	Red Phalarope	1	0	0	0	0	0	0	1	0	0	0	0	0	1
223.0	Red-necked Phalarope	3	0	0	0	0	0	1	271	0	3	5	0	0	280
224.0	Wilson's Phalarope	1	0	0	0	0	0	2	0	0	0	0	0	0	2
228.0	American Woodcock	4	0	0	0	0	0	10	0	0	0	0	0	0	10
230.0	Common Snipe	4	0	0	1	0	0	14	0	1	0	0	0	0	16
231.0	Short-billed Dowitcher	3	0	0	0	0	0	8	0	0	0	0	0	0	8
232.0	Long-billed Dowitcher	1	0	0	0	0	0	0	0	0	0	1	0	0	1
234.0	Red Knot	1	0	0	0	0	0	42	0	0	0	0	0	0	42
239.0	Pectoral Sandpiper	2	0	0	0	0	0	174	0	0	2	0	0	0	176
240.0	White-rumped Sandpiper	2	0	0	0	2	0	144	2	0	0	0	7	0	155
241.0	Baird's Sandpiper	3	0	0	0	1	0	0	0	0	0	15	45	0	61
242.0	Least Sandpiper	9	0	0	0	88	0	450	8	0	3	477	0	0	1 026
243.0	Dunlin	3	0	0	0	0	0	201	6	0	0	8	0	0	215
246.0	Semipalmated Sandpiper	8	0	0	0	1 962	0	3 088	220	0	36	72	0	0	5 378
247.0	Western Sandpiper	1	0	0	0	0	0	0	0	0	0	2 663	0	0	2 663
514.0	Evening Grosbeak	20	0	0	0	3	25	732	0	0	370	0	0	0	1 130
515.0	Pine Grosbeak	6	8	0	0	0	0	159	0	0	0	0	0	0	167
517.0	Purple Finch	22	11	0	3	4	25	361	3	0	43	5	0	0	455
519.0	House Finch	3	0	0	0	0	0	25	0	0	0	1	0	0	26
522.0	White-winged Crossbill	1	0	0	0	0	0	70	0	0	0	0	0	0	70
527.0	Hoary Redpoll	13	0	0	0	0	0	80	0	0	38	0	0	0	118
528.0	Common Redpoll	21	0	0	0	0	7	8 455	0	0	559	0	0	0	9 021
529.0	American Goldfinch	23	0	0	18	0	1	1 034	3	0	40	0	0	0	1 096
533.0	Pine Siskin	15	8	0	0	2	7	382	0	0	21	19	0	0	439
534.0	Snow Bunting	10	0	0	0	0	0	3 766	0	0	0	0	2	0	3 768
536.0	Lapland Longspur	7	0	0	0	0	0	53	0	0	0	0	2	0	55
540.0	Vesper Sparrow	6	0	0	0	0	0	6	0	0	4	0	0	0	10
542.0	Savannah Sparrow	11	0	0	14	38	0	459	0	0	10	0	0	0	521
546.0	Grasshopper Sparrow	3	0	0	0	0	0	8	1	0	0	0	0	0	9
547.0	Henslow's Sparrow	1	0	0	0	0	0	1	0	0	0	0	0	0	1
548.0	Le Conte's Sparrow	1	0	0	0	0	0	1	0	0	0	0	0	0	1
549.0	Sharp-tailed Sparrow	1	0	0	0	0	0	1	0	0	0	0	0	0	1
553.0	Harris' Sparrow	1	0	0	0	0	0	0	0	0	2	0	0	0	2
554.0	White-crowned Sparrow	18	0	0	0	0	4	602	1	0	14	0	0	0	621
554.9	Gambel's White-crowned Sparrow	2	0	0	0	0	0	1	0	0	5	0	0	0	6
558.0	White-throated Sparrow	39	118	0	39	104	52	2 589	2	3	154	1	0	0	3 062
559.0	Tree Sparrow	25	0	0	0	0	0	1 751	0	0	48	0	0	0	1 799
560.0	Chipping Sparrow	22	0	0	11	0	4	289	4	0	319	1	0	0	628
561.0	Clay-colored Sparrow	5	0	0	0	0	0	3	2	0	21	0	0	0	26
563.0	Field Sparrow	12	0	0	0	0	0	222	0	0	0	0	0	0	222
567.0	Slate-colored Junco	30	1	0	81	4	119	1 529	0	1	343	0	0	0	2 078
567.7	Dark-eyed Junco	1	0	0	0	0	0	3	0	0	0	0	0	0	3
567.9	Oregon Junco	1	0	0	0	0	0	0	0	0	0	16	0	0	16
581.0	Song Sparrow	33	0	0	34	7	51	1 200	0	0	29	141	0	0	1 462
583.0	Lincoln's Sparrow	20	56	0	7	0	2	360	0	0	23	5	0	0	453
584.0	Swamp Sparrow	17	8	0	6	0	0	306	0	0	4	0	0	0	324
585.0	Fox Sparrow	13	35	0	2	0	0	71	0	0	3	0	0	0	111
587.0	Rufous-sided Towhee	3	0	0	0	0	0	93	0	0	0	0	0	0	93
593.0	Northern Cardinal	15	0	0	0	0	0	116	0	0	0	0	0	0	116
595.0	Rose-breasted Grosbeak	19	0	0	8	13	2	383	0	0	17	0	0	0	423
598.0	Indigo Bunting	11	0	0	1	0	1	68	0	0	0	0	0	0	70
605.0	Lark Bunting	1	0	0	0	0	0	1	0	0	0	0	0	0	1
607.0	Western Tanager	2	0	0	0	0	0	0	0	0	35	1	0	0	36
608.0	Scarlet Tanager	5	0	0	1	0	0	58	1	0	0	0	0	0	60
611.0	Purple Martin	4	0	0	0	0	0	12	0	0	572	0	0	0	584
612.0	Cliff Swallow	4	0	0	0	0	0	35	0	0	0	0	0	0	35

(cont'd)

Table 5 *(cont'd)*
Number of birds banded in Canada in 1982 listed by species and region

AOU No.	Species	No. banders	No. banded												
			Nfld.	PEI	NS	NB	Que.	Ont.	Man.	Sask.	Alta.	BC	NWT	Yukon	Total
613.0	Barn Swallow	19	0	0	1	2	2	561	0	8	8	41	0	0	623
614.0	Tree Swallow	20	0	0	0	17	24	2 615	154	525	616	11	10	0	3 972
616.0	Bank Swallow	10	0	0	0	0	0	1 463	0	108	3	0	0	0	1 574
617.0	Rough-winged Swallow	3	0	0	0	0	0	8	0	0	0	0	0	0	8
618.0	Bohemian Waxwing	2	0	0	0	0	10	0	0	0	1	0	0	0	11
619.0	Cedar Waxwing	27	0	0	8	3	10	334	2	0	81	1	0	0	439
621.0	Northern Shrike	12	0	0	0	0	0	15	0	0	2	0	0	0	17
624.0	Red-eyed Vireo	21	0	0	163	7	5	403	29	0	19	2	0	0	628
626.0	Philadelphia Vireo	14	0	0	7	0	2	104	0	0	8	0	0	0	121
627.0	Warbling Vireo	13	0	0	1	0	0	112	37	0	22	5	0	0	177
628.0	Yellow-throated Vireo	4	0	0	1	0	0	3	0	0	0	0	0	0	4
629.0	Solitary Vireo	14	0	0	46	2	0	74	0	0	7	1	0	0	130
631.0	White-eyed Vireo	2	0	0	0	0	0	7	0	0	0	0	0	0	7
636.0	Black-and-white Warbler	23	34	0	49	16	1	219	20	0	17	0	0	0	356
637.0	Prothonotary Warbler	1	0	0	0	0	0	9	0	0	0	0	0	0	9
639.0	Worm-eating Warbler	1	0	0	0	0	0	1	0	0	0	0	0	0	1
641.0	Blue-winged Warbler	4	0	0	1	0	0	11	0	0	0	0	0	0	12
641.2	Brewster's Warbler	1	0	0	0	0	0	1	0	0	0	0	0	0	1
642.0	Golden-winged Warbler	4	0	0	0	0	0	9	0	0	0	0	0	0	9
645.0	Nashville Warbler	25	0	0	43	51	23	527	7	0	0	0	0	0	651
646.0	Orange-crowned Warbler	15	0	0	3	0	0	51	44	0	73	0	0	0	171
647.0	Tennessee Warbler	26	15	0	24	33	76	478	91	0	373	0	0	0	1 090
648.0	Northern Parula	8	0	0	32	13	0	13	0	0	0	0	0	0	58
650.0	Cape May Warbler	14	0	0	39	10	12	189	1	0	3	0	0	0	254
652.0	Yellow Warbler	26	6	0	53	11	3	824	840	0	48	0	4	0	1 789
654.0	Black-throated Blue Warbler	14	0	0	26	4	2	108	0	0	0	0	0	0	140
655.0	Myrtle Warbler	33	33	0	196	42	20	1 209	173	0	314	0	0	0	1 987
656.0	Audubon's Warbler	1	0	0	0	0	0	0	0	0	0	3	0	0	3
657.0	Magnolia Warbler	35	41	0	184	88	11	1 013	9	0	22	0	0	0	1 368
658.0	Cerulean Warbler	1	0	0	0	0	0	3	0	0	0	0	0	0	3
659.0	Chestnut-sided Warbler	21	0	0	22	6	7	219	0	0	1	0	0	0	255
660.0	Bay-breasted Warbler	18	0	0	32	9	4	714	6	0	2	0	0	0	767
661.0	Blackpoll Warbler	17	51	0	65	58	1	242	9	0	78	0	0	0	504
662.0	Blackburnian Warbler	15	0	0	15	9	2	210	1	0	0	0	0	0	237
663.0	Yellow-throated Warbler	3	0	0	1	0	1	1	0	0	0	0	0	0	3
667.0	Black-throated Green Warbler	17	4	0	129	11	0	202	0	0	5	0	0	0	351
668.0	Townsend's Warbler	1	0	0	0	0	0	1	0	0	0	0	0	0	1
671.0	Pine Warbler	4	0	0	0	0	1	7	0	0	0	0	0	0	8
672.0	Western Palm Warbler	10	0	0	1	1	0	141	13	0	14	0	0	0	170
672.9	Yellow Palm Warbler	4	5	0	35	0	0	2	0	0	0	0	0	0	42
673.0	Prairie Warbler	2	0	0	1	0	0	1	0	0	0	0	0	0	2
674.0	Ovenbird	27	10	0	51	69	4	311	41	0	11	0	0	0	497
675.0	Northern Waterthrush	17	250	0	117	7	3	180	46	0	6	4	0	0	613
676.0	Louisiana Waterthrush	2	0	0	0	0	0	5	0	0	0	0	0	0	5
678.0	Connecticut Warbler	4	0	0	0	0	0	21	4	0	3	0	0	0	28
679.0	Mourning Warbler	18	23	0	21	0	5	92	4	0	2	0	0	0	147
680.0	MacGillivray's Warbler	1	0	0	0	0	0	0	0	0	0	4	0	0	4
681.0	Common Yellowthroat	28	0	0	106	17	3	656	22	0	6	0	0	0	810
683.0	Yellow-breasted Chat	3	0	0	0	0	0	9	0	0	0	0	0	0	9
684.0	Hooded Warbler	2	0	0	0	0	0	10	0	0	0	0	0	0	10
685.0	Wilson's Warbler	21	29	0	67	0	11	240	5	0	60	0	0	0	412
686.0	Canada Warbler	24	0	0	27	58	9	300	6	0	2	0	0	0	402
687.0	American Redstart	26	12	0	56	147	1	392	3	0	75	1	0	0	687
688.2	House Sparrow	12	0	0	0	0	2	719	0	0	18	3	0	0	742
697.0	Water Pipit	2	0	0	0	0	0	12	0	0	0	0	0	0	12
703.0	Northern Mockingbird	1	0	0	0	0	0	3	0	0	0	0	0	0	3
704.0	Gray Catbird	26	0	0	1	2	2	514	142	0	3	0	0	0	664
705.0	Brown Thrasher	15	0	0	0	0	1	162	2	2	0	0	0	0	167
718.0	Carolina Wren	1	0	0	0	0	0	1	0	0	0	0	0	0	1
719.0	Bewick's Wren	1	0	0	0	0	0	1	0	0	0	0	0	0	1
721.0	House Wren	21	0	0	1	0	0	195	37	13	61	0	0	0	307
722.0	Winter Wren	10	0	0	1	1	0	78	0	0	0	0	0	0	80
724.0	Sedge Wren	1	0	0	0	0	0	2	0	0	0	0	0	0	2

(cont'd)

Table 5 *(cont'd)*
Number of birds banded in Canada in 1982 listed by species and region

AOU No.	Species	No. banders	No. banded											
			Nfld.	PEI	NS	NB	Que.	Ont.	Man.	Sask.	Alta.	BC	NWT	Yukon	Total
725.0	Marsh Wren	7	0	0	0	0	0	15	0	0	16	51	0	0	82
726.0	Brown Creeper	16	0	0	2	1	1	485	0	0	1	0	0	0	490
727.0	White-breasted Nuthatch	16	0	0	0	0	0	75	0	1	7	0	0	0	83
728.0	Red-breasted Nuthatch	11	0	0	2	0	3	194	0	0	2	0	0	0	201
731.0	Tufted Titmouse	1	0	0	0	0	0	1	0	0	0	0	0	0	1
735.0	Black-capped Chickadee	41	13	0	0	20	8	1 215	2	14	336	19	0	0	1 627
740.0	Boreal Chickadee	7	11	0	7	2	0	140	0	0	8	0	0	0	168
748.0	Golden-crowned Kinglet	17	0	0	42	11	1	623	39	0	0	0	0	0	716
749.0	Ruby-crowned Kinglet	23	48	0	23	0	3	1 127	85	0	28	0	0	0	1 314
751.0	Blue-gray Gnatcatcher	2	0	0	0	0	0	35	0	0	0	0	0	0	35
755.0	Wood Thrush	13	0	0	0	5	0	93	0	0	0	0	0	0	98
756.0	Veery	16	0	0	1	19	3	171	5	0	1	0	0	0	200
757.0	Gray-cheeked Thrush	11	7	0	0	0	0	106	3	0	1	0	0	0	117
758.0	Swainson's Thrush	26	131	0	11	33	14	876	6	0	28	7	0	0	1 106
759.0	Hermit Thrush	23	33	0	12	30	9	447	0	0	26	0	0	0	557
761.0	American Robin	36	55	0	7	8	35	569	10	0	99	614	0	0	1 397
765.0	Northern Wheatear	1	0	0	0	0	0	1	0	0	0	0	0	0	1
766.0	Eastern Bluebird	8	0	0	0	0	0	204	0	0	0	0	0	0	204
768.0	Mountain Bluebird	2	0	0	0	0	0	0	0	143	92	0	0	0	235
	Total birds		4 641	682	6 458	5 684	8 760	80 430	29 529	24 839	21 347	5 563	7 125	339	19 539
	Total species, subspecies, hybrids		50	8	109	79	84	232	99	59	125	57	26	7	299

Cahiers de biologie **Service canadien de la faune**

Also available in English

Ces cahiers renferment des données et des conclusions à propos de nature à intéresser les biologistes d'autres organismes.

N° 159, mars 1986

Rapport annuel à l'intention des bagueurs — Résumé sur les oiseaux bagués au Canada en 1982

par S. Wendt, L. Métras et A. Demers[1]

Introduction

Le présent cahier résume les activités de baguage d'oiseaux au Canada pour l'année 1982. Il donne le nombre de bagueurs, le nombre d'oiseaux bagués ainsi que la répartition des espèces baguées selon la région.

Méthodes

Nous avons choisi des dossiers dans le fichier de baguage des oiseaux de l'Amérique du Nord pour 1982 et fixé la limite de l'introduction de données dans l'ordinateur au mois de décembre 1983.

Résultats

En 1982, 195 397 oiseaux ont été bagués, comparativement à 178 422 en 1981; ils se répartissent en 299 espèces, sous-espèces et espèces hybrides (tableau 1). Outre les 148 détenteurs de permis principaux actifs en 1982 (une augmentation de 11 % par rapport à 1981), il y avait un ou plusieurs détenteurs de sous-permis actifs pour la plupart des permis principaux.

La figure 1 indique le total annuel d'oiseaux considérés comme gibier et d'oiseaux non considérés comme gibier qui ont été bagués au Canada de 1955 à 1982. On a bagué plus de ces oiseaux en 1982 qu'en 1981.

La figure 2 est une carte montrant les lieux où les oiseaux ont été bagués en 1982; la plupart se trouvent dans le sud du Canada, près des grands centres urbains. En Alberta et en Saskatchewan, le baguage s'est déroulé principalement dans la moitié sud des provinces; une bonne partie de cette activité était associée à des études sur les oiseaux aquatiques.

L'Ontario regroupait le plus grand nombre de détenteurs de permis principaux actifs (77, soit 52 %). Ces détenteurs étaient responsables du baguage de 41 % de tous les oiseaux bagués en 1982 (80 430), représentant 78 % des espèces baguées (232). Dans ce contexte, l'Alberta occupe le deuxième rang : ses 13 détenteurs de permis principaux (9 % du total) ont bagué 21 347 oiseaux de 125 espèces, soit 11 % du total des oiseaux et 42 % de celui des espèces (tableau 1).

Le tableau 2 donne le nombre d'oiseaux non considérés comme gibier et considérés comme gibier dans chaque région. De toutes les espèces baguées, 88 % (263) faisaient partie de la catégorie des oiseaux non considérés comme gibier, lesquels représentaient 51 % de tous les oiseaux bagués (100 157). Le baguage des 36 espèces d'oiseaux considérés comme gibier représentait 49 % des oiseaux bagués (95 240).

Le tableau 3 donne les trois principales espèces d'oiseaux considérés comme gibier et non considérés comme gibier bagués dans chaque région. Le Canard malard était l'une des trois espèces d'oiseaux considérés comme gibier les plus souvent bagués dans l'ensemble du Canada, sauf à Terre-Neuve, en Nouvelle-Écosse, au Nouveau-Brunswick, en Colombie Britannique et au Yukon.

Le tableau 4 donne le nombre d'oiseaux considérés comme gibier et non considérés comme gibier dont le code d'état est différent de 300 (code pour les oiseaux sauvages ordinaires) après le baguage[2].

Le tableau 5 donne le nombre d'oiseaux bagués dans chaque province et dans chaque territoire en 1982, par espèce.

Remerciements

Nous remercions tous les bagueurs d'oiseaux du Canada, qui ont bien voulu nous donner leur temps, leur coopération et leurs dossiers pour 1982. K. Klimkiewicz et A. Davenport, du *US Bird Banding Laboratory*, nous ont fourni des fichiers informatiques établis à partir des dossiers de baguage nord-américains. A. Légère et M. Gratton, de la Direction générale de l'informatique et de la statistique appliquée du ministère de l'Environnement, ont préparé les données pour la carte et les tableaux. B. Cromie, de la Direction des levés et de la cartographie du ministère de l'Énergie, des Mines et des Ressources, a préparé la figure 2.

[1]Service canadien de la faune, Ottawa (Ontario) K1A 0E7.

[2]Le Manuel de baguage des oiseaux de l'Amérique du Nord, 1984, Vol. 1, Partie 5, publié par le SCF, donne la signification des codes.

Environnement Canada Environment Canada

Service canadien Canadian Wildlife

Figure 1
Nombre d'oiseaux bagués au Canada de 1955 à 1982



Figure 2
Carte des lieux de baguage au Canada en 1982



Tableau 1
Nombre de bagueurs et d'oiseaux bagués en 1982, par région

Région	Détenteurs de permis principaux actifs				Oiseaux bagués				Espèces baguées			
	Nbre		% du total*		Nbre		% du total		Nbre		% du total*	
	1981	1982	1981	1982	1981	1982	1981	1982	1981	1982	1981	1982
T.-N.	4	5	3	3	3 882	4 641	2	2	51	50	17	17
Î.P.-É.	1	1	1	1	383	682	<1	<1	7	8	2	3
N.-É.	7	6	5	4	7 729	6 458	4	3	112	109	37	36
N.-B.	5	9	3	6	5 711	5 684	3	3	84	79	27	26
Qué.	13	11	9	7	3 354	8 760	2	5	85	84	28	28
Ont.	75	77	52	52	74 342	80 430	42	41	230	232	75	78
Man.	10	10	7	7	23 058	29 529	13	15	83	99	27	33
Sask.	15	12	10	8	20 501	24 839	12	13	64	59	21	20
Alb.	16	13	11	9	28 408	21 347	16	11	135	125	44	42
C.B.	11	9	8	6	3 410	5 563	2	3	84	57	27	19
T.N.-O.	10	12	7	8	7 301	7 125	4	4	29	26	9	9
Yukon	2	1	1	1	343	339	<1	<1	10	7	3	2
Canada	143†	148†	—	—	178 422	195 397	100	100	306	299	—	—

*Ces colonnes ne totalisent pas 100 % parce que certains bagueurs travaillent dans plus d'une province et que certaines espèces sont baguées dans plus d'une province.
†Le total n'inclut chaque bagueur qu'une seule fois, même si certains travaillent dans plus d'une province.

Tableau 2
Nombre et pourcentage des oiseaux non considérés comme gibier et des oiseaux considérés comme gibier* bagués en 1982, par région

Région	Espèces non considérées comme gibier	% total pour la région	Oiseaux non considérés comme gibier	% total pour la région	Espèces considérées comme gibier	% total pour la région	Oiseaux considérés comme gibier	% total pour la région
T.-N.	41	82	3 474	75	9	18	1 167	25
Î.P.-É.	3	37	30	4	5	63	652	96
N.-É.	91	83	3 485	54	18	17	2 973	46
N.-B.	64	81	3 934	69	15	19	1 750	31
Qué.	71	85	827	9	13	15	7 933	91
Ont.	211	91	66 760	83	21	9	13 670	17
Man.	76	77	3 659	12	23	23	25 870	88
Sask.	38	64	3 498	14	21	36	21 341	86
Alb.	110	88	7 210	34	15	12	14 137	66
C.B.	54	95	4 396	79	3	5	1 167	21
T.N.-O.	20	77	2 844	40	6	23	4 281	60
Yukon	3	43	40	12	4	57	299	88
Canada	263	88	100 157	51	36	12	95 240	49

*Nous incluons dans la catégorie des oiseaux migrateurs considérés comme gibier la famille Anatidae, la famille Gruidae, la famille Rallidae, la Bécasse d'Amérique, la Bécassine des marais et la famille Columbidae. Les oiseaux considérés comme gibier qui n'ont pas été chassés au Canada en 1982 parce que cette chasse était défendue ne sont pas inclus.

Tableau 3
Espèces considérées comme gibier et non considérées comme gibier les plus souvent baguées en 1982, par région

	Espèces considérées comme gibier			Espèces non considérées comme gibier		
Région	N° de l'AOU	Nom générique	Total	N° de l'AOU	Nom générique	Total
T.-N.	1390	Sarcelle à ailes vertes d'Amérique	598	1060	Pétrel cul-blanc	1 189
	1330	Canard noir	437	1170	Fou de Bassan	394
	1430	Canard pilet	91	0130	Macareux moine	371
Î.P.-É.	1330	Canard noir	609	3640	Aigle pêcheur	24
	1321	Canard malard × Canard noir (hybride)	30	3520	Aigle à tête blanche	4
	1320	Canard malard	11	3750	Grand Duc d'Amérique	2
N.-É.	1330	Canard noir	1 428	1060	Pétrel cul-blanc	1 064
	1390	Sarcelle à ailes vertes d'Amérique	371	6550	Fauvette à croupion jaune	196
	1400	Sarcelle à ailes bleues	348	6570	Fauvette à tête cendrée	184
N.-B.	1330	Canard noir	758	2460	Bécasseau semipalmé	1 962
	1400	Sarcelle à ailes bleues	572	1060	Pétrel cul-blanc	548
	1370	Canard siffleur d'Amérique	146	6870	Fauvette flamboyante	147
Qué.	1320	Canard malard	2 927	5670	Junco ardoisé	119
	1330	Canard noir	1 910	4980	Carouge à épaulettes	86
	1400	Sarcelle à ailes bleues	1 424	6470	Fauvette obscure	76
Ont.	1320	Canard malard	5 545	5280	Sizerin flammé	8 455
	1720	Bernache du Canada	3 584	5340	Bruant des neiges	3 766
	1400	Sarcelle à ailes bleues	1 537	2460	Bécasseau semipalmé	3 088
Man.	1320	Canard malard	12 397	6520	Fauvette jaune	840
	1400	Sarcelle à ailes bleues	5 324	4980	Carouge à épaulettes	627
	1690	Petite Oie blanche (phase blanche)	3 595	2230	Phalarope hyperboréen	271
Sask.	1320	Canard malard	13 654	4980	Carouge à épaulettes	649
	1400	Sarcelle à ailes bleues	4 063	6140	Hirondelle bicolore	525
	1430	Canard pilet	1 297	4970	Carouge à tête jaune	455
Alb.	1320	Canard malard	5 499	1200	Cormoran à aigrettes	950
	1400	Sarcelle à ailes bleues	4 156	6140	Hirondelle bicolore	616
	1430	Canard pilet	2 055	6110	Hirondelle pourprée	572
C.B.	1720	Bernache du Canada	1 014	2470	Bécasseau du Nord-Ouest	2 663
	1530	Petit Garrot	89	7610	Merle d'Amérique	614
	1520	Garrot de Barrow	64	2420	Bécasseau minuscule	477
T.N.-O.	1720	Bernache du Canada	2 000	0310	Marmette de Brünnich	2 062
	1320	Canard malard	1 292	0270	Guillemot noir	283
	1430	Canard pilet	869	0400	Mouette tridactyle	171
Yukon	1390	Sarcelle à ailes vertes d'Amérique	283	3560	Faucon pèlerin	34
	1710	Oie à front blanc	14	3547	Gerfaut	5
	1400	Sarcelle à ailes bleues	1	3520	Aigle à tête blanche	1
	1720	Bernache du Canada	1			

Tableau 4
État des oiseaux bagués (oiseaux sauvages ordinaires exclus) en 1982

État	Codes*	Oiseaux considérés comme gibier		Oiseaux non considérés comme gibier	
		Nbre d'espèces	Nbre d'oiseaux	Nbre d'espèces	Nbre d'oiseaux
Oiseau gardé et/ou transporté	603, 611, 612, 613, 636, 656, 675	9	6 789	34	142
Oiseau marqué à couleur	602, 608, 619, 623, 639, 651, 667, 669	14	1 024	41	7 370
Oiseau blessé ou malade	615, 621, 660, 638	2	3	77	527
Oiseau élevé en captivité ou oiseau de ferme	400, 401, 402	9	1 620	20	116
Oiseau portant un marqueur alaire	459, 409	2	30	0	0
Oiseau portant deux bagues	607	0	0	2	253
Oiseau muni d'un radio-émetteur	689	5	97	4	48
Oiseau soumis à une prise de sang	618	4	1 086	35	1 113
Divers	485, 642, 685	0	0	26	364
Total		45	10 649	239	9 933

*Le Manuel de baguage des oiseaux de l'Amérique du Nord, 1976, Vol. 1, Partie 5, publié par le SCF, donne la signification des codes.

Tableau 5
Nombre d'oiseaux bagués au Canada en 1982, selon l'espèce et la région

N° de l'AOU	Espèce	Nbre de bagueurs	Nombre d'oiseaux bagués												
			T.-N.	Î.P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alb.	C.B.	T.N.-O.	Yukon	Total
003.0	Grèbe cornu	1	0	0	0	0	0	3	0	0	0	0	0	0	3
006.0	Grèbe à bec bigarré	2	0	0	28	1	0	3	0	0	0	0	0	0	32
007.0	Huart à collier	2	0	0	0	0	0	2	0	0	0	0	0	0	2
013.0	Macareux moine	2	371	0	0	0	0	0	0	0	0	0	1	0	372
027.0	Guillemot noir	3	0	0	0	4	0	0	0	0	0	0	283	0	287
030.0	Marmette commune	1	65	0	0	0	0	0	0	0	0	0	0	0	65
031.0	Marmette de Brünnich	2	22	0	0	0	0	0	0	0	0	0	2 062	0	2 084
032.0	Gode	1	53	0	0	0	0	0	0	0	0	0	0	0	53
039.0	Mouette blanche	1	0	0	0	0	0	0	0	0	0	0	113	0	113
040.0	Mouette tridactyle	2	72	0	0	0	0	0	0	0	0	0	171	0	243
042.0	Goéland bourgmestre	1	0	0	0	0	0	0	0	0	0	0	35	0	35
044.0	Goéland à ailes grises	1	0	0	0	0	0	0	0	0	0	5	0	0	5
045.0	Goéland de Kumlien	1	0	0	0	0	0	0	0	0	0	0	39	0	39
047.0	Goéland à manteau noir	2	0	0	48	105	0	0	0	0	0	0	0	0	153
051.0	Goéland argenté	11	136	0	0	57	0	496	0	0	0	4	0	0	693
051.9	Goéland de Thayer	1	0	0	0	0	0	0	0	0	0	1	0	0	1
053.0	Goéland de Californie	1	0	0	0	0	0	0	0	270	0	0	0	0	270
054.0	Goéland à bec cerclé	9	0	0	0	0	0	2 379	0	252	0	0	0	0	2 631
060.0	Mouette de Bonaparte	1	0	0	0	0	0	2	0	0	0	0	0	0	2
070.0	Sterne commune	4	0	0	39	0	0	32	0	0	0	0	0	0	71
071.0	Sterne arctique	1	0	0	4	0	0	0	0	0	0	0	0	0	4
072.0	Sterne rosée	1	0	0	1	0	0	0	0	0	0	0	0	0	1
077.0	Sterne noire	1	0	0	0	0	0	0	0	0	0	44	0	0	44
106.0	Pétrel cul-blanc	4	1 189	0	1 064	548	0	0	0	0	0	0	0	0	2 801
117.0	Fou de Bassan	1	394	0	0	0	0	0	0	0	0	0	0	0	394
120.0	Cormoran à aigrettes	5	0	0	0	0	0	1 482	0	77	950	0	0	0	2 509
125.0	Pélican blanc d'Amérique	2	0	0	0	0	0	0	0	175	300	0	0	0	475
129.0	Grand Bec-scie	1	0	0	0	1	0	0	0	0	0	0	0	0	1
131.0	Bec-scie couronné	4	0	0	1	2	0	3	1	1	0	0	0	0	8
132.0	Canard malard	37	5	11	24	17	2 927	5 545	12 397	13 654	5 499	0	1 292	0	41 371
132.1	Canard malard × canard noir (hybride)	12	0	30	17	15	95	126	13	4	0	0	0	0	300
133.0	Canard noir	29	437	609	1 428	758	1 910	1 208	51	17	1	0	0	0	6 419
135.0	Canard chipeau	14	0	0	0	0	2	19	17	329	72	0	0	0	439
137.0	Canard siffleur d'Amérique	14	2	0	30	146	2	13	18	74	88	0	0	0	373
139.0	Sarcelle à ailes vertes d'Amérique	26	598	1	371	98	910	440	190	393	314	0	64	283	3 662
140.0	Sarcelle à ailes bleues	28	10	0	348	572	1 424	1 537	5 324	4 063	4 156	0	53	1	17 488
140.1	Sarcelle (non identifiée)	1	0	0	0	0	0	0	0	0	36	0	0	0	36
142.0	Canard souchet	12	0	0	4	15	0	2	30	3	12	0	3	0	69
143.0	Canard pilet	22	91	1	55	17	84	60	436	1 297	2 055	0	869	0	4 965
144.0	Canard huppé	16	0	0	205	43	549	759	20	153	0	0	0	0	1 729
145.0	Canard (non identifié ou hybride)	1	0	0	0	0	0	0	2	0	0	0	0	0	2
146.0	Morillon à tête rouge	13	0	0	3	0	0	61	466	248	81	0	0	0	859
147.0	Morillon à dos blanc	8	0	0	0	0	0	0	28	59	33	0	0	0	120
148.0	Grand Morillon	1	0	0	0	0	0	2	0	0	0	0	0	0	2
149.0	Petit Morillon	10	0	0	0	0	1	83	4	81	23	0	0	0	192
150.0	Morillon à collier	8	0	0	104	57	6	21	9	4	1	0	0	0	202
151.0	Garrot commun	5	4	0	8	6	0	0	5	7	0	0	0	0	30
152.0	Garrot de Barrow	2	8	0	0	0	0	0	0	0	0	64	0	0	72
153.0	Petit Garrot	5	0	0	0	0	0	47	0	9	0	89	0	0	145
160.0	Eider à duvet	2	0	0	232	0	4	0	0	0	0	0	0	0	236
165.0	Macreuse à ailes blanches	1	0	0	0	0	0	0	0	2	0	0	0	0	2
167.0	Canard roux	5	0	0	3	0	0	0	5	1	1	0	0	0	10
169.0	Petite Oie blanche (phase blanche)	1	0	0	0	0	0	0	3 595	0	0	0	0	0	3 595
169.1	Petite Oie blanche (phase bleue)	1	0	0	0	0	0	0	1 538	0	0	0	0	0	1 538
169.9	Grande Oie blanche	1	0	0	0	0	19	0	0	0	0	0	0	0	19
170.0	Oie de Ross	1	0	0	0	0	0	0	1	0	0	0	0	0	1
170.3	Oie blanche × Oie de Ross (hybride)	1	0	0	0	0	0	0	2	0	0	0	0	0	2

(suite)

Tableau 5 *(suite)*

N° de l'AOU	Espèce	Nbre de bagueurs	Nombre d'oiseaux bagués												
			T.-N.	Î.P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alb.	C.B.	T.N.-O.	Yukon	Total
171.0	Oie à front blanc	1	0	0	0	0	0	0	0	0	0	0	0	14	14
172.0	Bernache du Canada	17	12	0	113	1	0	3 584	1 718	941	1 765	1 014	2 000	1	11 149
181.0	Cygne trompette	1	0	0	0	0	0	0	0	0	0	10	0	0	10
191.0	Petit Butor (race de l'Est)	1	0	0	0	0	0	4	0	0	0	0	0	0	4
194.0	Grand Héron	4	0	0	0	0	0	7	0	0	0	1	0	0	8
202.0	Bihoreau à couronne noire	2	0	0	0	0	0	21	0	1	0	0	0	0	22
204.0	Grue blanche d'Amérique	1	0	0	0	0	0	0	0	0	0	0	5	0	5
212.0	Râle de Virginie	1	0	0	0	0	0	2	0	0	0	0	0	0	2
214.0	Râle de Caroline	1	0	0	0	0	0	2	0	0	0	0	0	0	2
219.0	Gallinule commune	1	0	0	0	0	0	1	0	0	0	0	0	0	1
221.0	Foulque d'Amérique	2	0	0	26	2	0	4	0	0	0	0	0	0	32
222.0	Phalarope roux	1	0	0	0	0	0	0	1	0	0	0	0	0	1
223.0	Phalarope hyperboréen	3	0	0	0	0	0	1	271	0	3	5	0	0	280
224.0	Phalarope de Wilson	1	0	0	0	0	0	2	0	0	0	0	0	0	2
228.0	Bécasse d'Amérique	4	0	0	0	0	0	10	0	0	0	0	0	0	10
230.0	Bécassine des marais	4	0	0	1	0	0	14	0	1	0	0	0	0	16
231.0	Bécasseau roux	3	0	0	0	0	0	8	0	0	0	0	0	0	8
232.0	Bécasseau à long bec	1	0	0	0	0	0	0	0	0	0	1	0	0	1
234.0	Bécasseau à poitrine rousse	1	0	0	0	0	0	42	0	0	0	0	0	0	42
239.0	Bécasseau à poitrine cendrée	2	0	0	0	0	0	174	0	0	2	0	0	0	176
240.0	Bécasseau à croupion blanc	2	0	0	0	2	0	144	2	0	0	0	7	0	155
241.0	Bécasseau de Baird	3	0	0	0	1	0	0	0	0	0	15	45	0	61
242.0	Bécasseau minuscule	9	0	0	0	88	0	450	8	0	3	477	0	0	1 026
243.0	Bécasseau variable	3	0	0	0	0	0	201	6	0	0	8	0	0	215
246.0	Bécasseau semipalmé	8	0	0	0	1 962	0	3 088	220	0	36	72	0	0	5 378
247.0	Bécasseau du Nord-Ouest	1	0	0	0	0	0	0	0	0	0	2 663	0	0	2 663
248.0	Bécasseau sanderling	2	0	0	0	0	0	27	0	0	0	0	0	0	27
251.0	Barge hudsonienne	1	0	0	0	0	0	15	0	0	0	0	0	0	15
254.0	Grand Chevalier à pattes jaunes	1	0	0	0	0	0	20	0	0	0	0	0	0	20
255.0	Petit Chevalier à pattes jaunes	3	0	0	0	0	0	98	0	0	0	5	0	0	103
256.0	Chevalier solitaire	3	0	0	0	0	0	3	0	0	0	1	0	0	4
258.0	Chevalier semipalmé	1	0	0	0	0	0	0	0	0	1	0	0	0	1
262.0	Bécasseau roussâtre	1	0	0	0	0	0	1	0	0	0	0	0	0	1
263.0	Maubèche branle-queue	10	0	0	0	0	0	70	2	0	0	6	0	0	78
265.0	Courlis corlieu	1	0	0	0	0	0	2	0	0	0	0	0	0	2
270.0	Pluvier argenté	1	0	0	0	0	0	2	0	0	0	0	0	0	2
272.0	Pluvier doré d'Amérique	1	0	0	0	0	0	5	0	0	0	0	0	0	5
273.0	Pluvier kildir	9	0	0	0	1	0	20	0	0	0	2	2	0	25
274.0	Pluvier à collier	5	0	0	0	101	0	83	2	0	0	25	0	0	211
277.0	Pluvier siffleur	1	0	0	0	0	0	0	22	0	0	0	0	0	22
283.0	Tournepierre roux	2	0	0	0	0	0	19	0	0	0	1	0	0	20
316.0	Tourterelle triste	15	0	0	0	0	0	134	0	0	0	0	0	0	134
331.0	Busard des marais	8	0	0	1	19	0	40	0	9	0	1	0	0	70
332.0	Épervier brun	15	0	0	42	1	0	1 587	0	0	1	4	0	0	1 635
333.0	Épervier de Cooper	10	0	0	0	0	0	76	0	8	4	3	0	0	91
334.0	Autour	6	0	0	0	0	1	15	0	0	1	0	0	0	17
337.0	Buse à queue rousse	12	0	0	0	0	2	196	0	9	36	9	0	0	252
339.0	Buse à épaulettes rousses	2	0	0	0	0	0	6	0	0	0	0	0	0	6
342.0	Buse de Swainson	6	0	0	0	0	0	0	1	115	68	0	0	0	184
343.0	Petite Buse	4	0	0	0	0	0	10	1	0	0	0	0	0	11
347.0	Buse pattue	6	0	0	0	0	1	13	0	0	0	0	0	0	14
348.0	Buse rouilleuse	2	0	0	0	0	0	0	0	61	107	0	0	0	168
349.0	Aigle doré	1	0	0	0	0	0	0	0	1	0	0	0	0	1
352.0	Aigle à tête blanche	6	0	4	67	0	0	35	0	27	0	0	0	1	134
354.7	Gerfaut	1	0	0	0	0	0	0	0	0	0	0	0	5	5
355.0	Faucon des prairies	2	0	0	0	0	0	0	0	23	1	0	0	0	24
356.0	Faucon pèlerin	6	0	0	0	0	1	0	0	2	0	13	50	34	100
357.0	Faucon émerillon	8	0	0	0	0	0	10	0	128	10	0	0	0	148
360.0	Crécerelle d'Amérique	21	0	0	12	0	38	667	15	7	17	0	6	0	762
364.0	Aigle-pêcheur	6	0	24	1	0	0	2	0	16	0	0	2	0	45
365.0	Effraie	1	0	0	0	0	0	10	0	0	0	0	0	0	10

(suite)

Tableau 5 *(suite)*

N° de l'AOU	Espèce	N^bre de bagueurs	Nombre d'oiseaux bagués												
			T.-N.	Î.P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alb.	C.B.	T.N.-O.	Yukon	Total
366.0	Hibou moyen-duc	7	0	0	5	0	0	22	0	1	4	0	0	0	32
367.0	Hibou des marais	3	0	0	0	1	0	3	1	0	0	0	0	0	5
368.0	Chouette rayée	1	0	0	0	0	0	4	0	0	0	0	0	0	4
370.0	Chouette cendrée	3	0	0	0	0	0	1	6	0	1	0	0	0	8
371.0	Nyctale boréale	1	0	0	0	0	0	14	0	0	0	0	0	0	14
372.0	Petite Nyctale	8	0	0	15	0	0	565	0	0	1	0	0	0	581
373.0	Petit-Duc maculé	7	0	0	0	0	1	23	1	0	0	0	0	0	25
375.0	Grand-Duc d'Amérique	11	0	2	4	0	0	23	5	199	10	0	0	0	243
376.0	Harfang des neiges	4	0	0	0	0	0	10	0	0	0	0	0	0	10
377.0	Chouette épervière	3	0	0	0	0	0	2	0	0	1	0	0	0	3
378.0	Chouette des terriers	2	0	0	0	0	0	0	102	112	0	0	0	0	214
387.0	Coulicou à bec jaune	1	0	0	0	0	0	5	0	0	0	0	0	0	5
388.0	Coulicou à bec noir	9	0	0	1	0	1	28	1	0	0	0	0	0	31
390.0	Martin-pêcheur d'Amérique	7	0	0	0	0	2	26	0	0	0	0	0	0	28
393.0	Pic chevelu	16	0	0	1	0	0	54	0	1	6	0	0	0	62
394.0	Pic mineur	25	8	0	2	0	0	139	3	0	27	0	0	0	179
400.0	Pic à dos noir	1	0	0	3	0	0	0	0	0	0	0	0	0	3
402.0	Pic maculé	12	3	0	1	13	2	49	0	0	3	0	0	0	71
406.0	Pic à tête rouge	2	0	0	0	0	0	43	0	0	0	0	0	0	43
409.0	Pic à ventre roux	2	0	0	0	0	0	2	0	0	0	0	0	0	2
412.0	Pic doré	24	2	0	10	3	3	269	0	0	2	0	0	0	289
417.0	Engoulevent bois-pourri	3	0	0	0	0	0	4	0	0	0	0	0	0	4
420.0	Engoulevent d'Amérique	4	0	0	0	0	0	5	0	0	0	0	0	0	5
423.0	Martinet ramoneur	2	0	0	0	0	1	1	0	0	0	0	0	0	2
428.0	Colibri à gorge rubis	2	0	0	0	0	1	0	6	0	0	0	0	0	7
444.0	Tyran tritri	12	0	0	2	0	0	146	7	0	1	0	0	0	156
447.0	Tyran de l'Ouest	1	0	0	0	0	0	0	2	0	0	0	0	0	2
452.0	Moucherolle huppé	10	0	0	0	0	0	79	2	0	0	0	0	0	81
456.0	Moucherolle phébi	13	0	0	0	0	0	66	1	0	1	0	0	0	68
459.0	Moucherolle à côtés olive	6	0	0	1	0	0	8	0	0	2	0	0	0	11
461.0	Pioui de l'Est	11	0	0	6	0	0	208	4	0	0	0	0	0	218
462.0	Pioui de l'Ouest	2	0	0	0	0	0	0	0	0	11	2	0	0	13
463.0	Moucherolle à ventre jaune	19	102	0	20	18	6	249	16	0	6	0	0	0	417
465.0	Moucherolle vert	3	0	0	0	0	0	5	0	0	0	0	0	0	5
466.0	Moucherolle des saules	17	0	0	9	7	1	340	83	0	45	0	0	0	485
466.3	Moucherolle des aulnes	1	0	0	0	0	0	5	0	0	0	0	0	0	5
467.0	Moucherolle tchébec	23	0	0	15	1	2	1 015	209	0	108	1	0	0	1 351
467.9	Moucherolle non identifié	1	0	0	0	0	0	2	0	0	0	0	0	0	2
474.0	Alouette cornue	9	0	0	0	0	0	274	0	1	0	0	1	0	276
475.0	Pie bavarde	3	0	0	0	0	0	0	0	52	7	0	0	0	59
477.0	Geai bleu	29	0	0	57	3	0	647	0	2	39	0	0	0	748
478.0	Geai de Steller	1	0	0	0	0	0	0	0	0	0	20	0	0	20
484.0	Geai gris	4	1	0	0	0	0	68	0	0	0	0	0	0	69
486.0	Grand Corbeau	2	0	0	2	0	0	0	0	0	0	0	4	0	6
488.0	Corneille d'Amérique	6	0	0	20	0	0	2	0	22	52	0	0	0	96
489.0	Corneille du Nord-Ouest	1	0	0	0	0	0	0	0	0	0	32	0	0	32
493.0	Étourneau sansonnet	17	0	0	0	0	7	780	0	0	1	3	0	0	791
494.0	Goglu	4	0	0	0	0	0	20	0	0	0	0	0	0	20
495.0	Vacher à tête brune	26	0	0	0	0	13	379	11	0	2	0	0	0	405
497.0	Carouge à tête jaune	2	0	0	0	0	0	0	0	455	3	0	0	0	458
498.0	Carouge à épaulettes	29	0	0	7	0	86	1 013	627	649	21	5	0	0	2 408
501.0	Sturnelle des prés	4	0	0	0	0	0	98	0	0	0	0	0	0	98
501.1	Sturnelle de l'Ouest	1	0	0	0	0	0	0	16	0	0	0	0	0	16
506.0	Oriole des vergers	3	0	0	0	0	0	2	12	0	0	0	0	0	14
507.0	Oriole orangé	22	0	0	10	0	0	311	76	0	30	0	0	0	427
509.0	Mainate rouilleux	3	0	0	0	0	0	94	0	0	0	0	0	0	94
510.0	Mainate de Brewer	2	0	0	0	0	0	0	0	0	3	0	0	0	3
511.0	Mainate bronzé	23	0	0	29	0	23	408	2	5	0	0	0	0	467
514.0	Gros-bec errant	20	0	0	0	3	25	732	0	0	370	0	0	0	1 130
515.0	Gros-bec des pins	6	8	0	0	0	0	159	0	0	0	0	0	0	167
517.0	Roselin pourpré	22	11	0	3	4	25	361	3	0	43	5	0	0	455
519.0	Roselin familier	3	0	0	0	0	0	25	0	0	0	1	0	0	26
522.0	Bec-croisé à ailes blanches	1	0	0	0	0	0	70	0	0	0	0	0	0	70
527.0	Sizerin blanchâtre	13	0	0	0	0	0	80	0	0	38	0	0	0	118
528.0	Sizerin flammé	21	0	0	0	0	7	8 455	0	0	559	0	0	0	9 021

(suite)

Tableau 5 *(suite)*

N° de l'AOU	Espèce	Nbre de bagueurs	Nombre d'oiseaux bagués												
			T.-N.	Î.P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alb.	C.B.	T.N.-O.	Yukon	Total
529.0	Chardonneret jaune	23	0	0	18	0	1	1 034	3	0	40	0	0	0	1 096
533.0	Chardonneret des pins	15	8	0	0	2	7	382	0	0	21	19	0	0	439
534.0	Bruant des neiges	10	0	0	0	0	0	3 766	0	0	0	0	2	0	3 768
536.0	Bruant lapon	7	0	0	0	0	0	53	0	0	0	0	2	0	55
540.0	Pinson vespéral	6	0	0	0	0	0	6	0	0	4	0	0	0	10
542.0	Pinson des prés	11	0	0	14	38	0	459	0	0	10	0	0	0	521
546.0	Pinson sauterelle	3	0	0	0	0	0	8	1	0	0	0	0	0	9
547.0	Pinson de Henslow	1	0	0	0	0	0	1	0	0	0	0	0	0	1
548.0	Pinson de Le Conte	1	0	0	0	0	0	1	0	0	0	0	0	0	1
549.0	Pinson à queue aigue	1	0	0	0	0	0	1	0	0	0	0	0	0	1
553.0	Pinson à face noire	1	0	0	0	0	0	0	0	0	2	0	0	0	2
554.0	Pinson à couronne blanche	18	0	0	0	0	4	602	1	0	14	0	0	0	621
554.9	Pinson à couronne blanche de Gambel	2	0	0	0	0	0	1	0	0	5	0	0	0	6
558.0	Pinson à gorge blanche	39	118	0	39	104	52	2 589	2	3	154	1	0	0	3 062
559.0	Pinson hudsonien	25	0	0	0	0	0	1 751	0	0	48	0	0	0	1 799
560.0	Pinson familier	22	0	0	11	0	4	289	4	0	319	1	0	0	628
561.0	Pinson des plaines	5	0	0	0	0	0	3	2	0	21	0	0	0	26
563.0	Pinson des champs	12	0	0	0	0	0	222	0	0	0	0	0	0	222
567.0	Junco ardoisé	30	1	0	81	4	119	1 529	0	1	343	0	0	0	2 078
567.7	Junco ardoisé	1	0	0	0	0	0	3	0	0	0	0	0	0	3
567.9	Junco à dos roux	1	0	0	0	0	0	0	0	0	0	16	0	0	16
581.0	Pinson chanteur	33	0	0	34	7	51	1 200	0	0	29	141	0	0	1 462
583.0	Pinson de Lincoln	20	56	0	7	0	2	360	0	0	23	5	0	0	453
584.0	Pinson des marais	17	8	0	6	0	0	306	0	0	4	0	0	0	324
585.0	Pinson fauve	13	35	0	2	0	0	71	0	0	3	0	0	0	111
587.0	Tohi aux yeux rouges	3	0	0	0	0	0	93	0	0	0	0	0	0	93
593.0	Cardinal rouge	15	0	0	0	0	0	116	0	0	0	0	0	0	116
595.0	Gros-bec à poitrine rose	19	0	0	8	13	2	383	0	0	17	0	0	0	423
598.0	Bruant indigo	11	0	0	1	0	1	68	0	0	0	0	0	0	70
605.0	Pinson noir et blanc	1	0	0	0	0	0	1	0	0	0	0	0	0	1
607.0	Tangara à tête rouge	2	0	0	0	0	0	0	0	0	35	1	0	0	36
608.0	Tangara écarlate	5	0	0	1	0	0	58	1	0	0	0	0	0	60
611.0	Hirondelle pourprée	4	0	0	0	0	0	12	0	0	572	0	0	0	584
612.0	Hirondelle à front blanc	4	0	0	0	0	0	35	0	0	0	0	0	0	35
613.0	Hirondelle des granges	19	0	0	1	2	2	561	0	8	8	41	0	0	623
614.0	Hirondelle bicolore	20	0	0	0	17	24	2 615	154	525	616	11	10	0	3 972
616.0	Hirondelle des sables	10	0	0	0	0	0	1 463	0	108	3	0	0	0	1 574
617.0	Hirondelle à ailes hérissées	3	0	0	0	0	0	8	0	0	0	0	0	0	8
618.0	Jaseur boréal	2	0	0	0	0	10	0	0	0	1	0	0	0	11
619.0	Jaseur des cèdres	27	0	0	8	3	10	334	2	0	81	1	0	0	439
621.0	Pie-grièche boréale	12	0	0	0	0	0	15	0	0	2	0	0	0	17
624.0	Viréo aux yeux rouges	21	0	0	163	7	5	403	29	0	19	2	0	0	628
626.0	Viréo de Philadelphie	14	0	0	7	0	2	104	0	0	8	0	0	0	121
627.0	Viréo mélodieux	13	0	0	1	0	0	112	37	0	22	5	0	0	177
628.0	Viréo à gorge jaune	4	0	0	1	0	0	3	0	0	0	0	0	0	4
629.0	Viréo à tête bleue	14	0	0	46	2	0	74	0	0	7	1	0	0	130
631.0	Viréo aux yeux blancs	2	0	0	0	0	0	7	0	0	0	0	0	0	7
636.0	Fauvette noir et blanc	23	34	0	49	16	1	219	20	0	17	0	0	0	356
637.0	Fauvette orangée	1	0	0	0	0	0	9	0	0	0	0	0	0	9
639.0	Fauvette vermivore	1	0	0	0	0	0	1	0	0	0	0	0	0	1
641.0	Fauvette à ailes bleues	4	0	0	1	0	0	11	0	0	0	0	0	0	12
641.2	Fauvette de Brewster	1	0	0	0	0	0	1	0	0	0	0	0	0	1
642.0	Fauvette à ailes dorées	4	0	0	0	0	0	9	0	0	0	0	0	0	9
645.0	Fauvette à joues grises	25	0	0	43	51	23	527	7	0	0	0	0	0	651
646.0	Fauvette verdâtre	15	0	0	3	0	0	51	44	0	73	0	0	0	171
647.0	Fauvette obscure	26	15	0	24	33	76	478	91	0	373	0	0	0	1 090
648.0	Fauvette parula	8	0	0	32	13	0	13	0	0	0	0	0	0	58
650.0	Fauvette tigrée	14	0	0	39	10	12	189	1	0	3	0	0	0	254
652.0	Fauvette jaune	26	6	0	53	11	3	824	840	0	48	0	4	0	1 789
654.0	Fauvette bleue à gorge noire	14	0	0	26	4	2	108	0	0	0	0	0	0	140
655.0	Fauvette à croupion jaune	33	33	0	196	42	20	1 209	173	0	314	0	0	0	1 987
656.0	Fauvette d'Audubon	1	0	0	0	0	0	0	0	0	0	3	0	0	3
657.0	Fauvette à tête cendrée	35	41	0	184	88	11	1 013	9	0	22	0	0	0	1 368

(suite)

Tableau 5 *(suite)*

N° de l'AOU	Espèce	Nbre de bagueurs	Nombre d'oiseaux bagués												
			T.-N.	Î.P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alb.	C.B.	T.N.-O.	Yukon	Total
658.0	Fauvette azurée	1	0	0	0	0	0	3	0	0	0	0	0	0	3
659.0	Fauvette à flancs marrons	21	0	0	22	6	7	219	0	0	1	0	0	0	255
660.0	Fauvette à poitrine baie	18	0	0	32	9	4	714	6	0	2	0	0	0	767
661.0	Fauvette rayée	17	51	0	65	58	1	242	9	0	78	0	0	0	504
662.0	Fauvette à gorge orangée	15	0	0	15	9	2	210	1	0	0	0	0	0	237
663.0	Fauvette à gorge jaune	3	0	0	1	0	1	1	0	0	0	0	0	0	3
667.0	Fauvette verte à gorge noire	17	4	0	129	11	0	202	0	0	5	0	0	0	351
668.0	Fauvette de Townsend	1	0	0	0	0	0	1	0	0	0	0	0	0	1
671.0	Fauvette des pins	4	0	0	0	0	1	7	0	0	0	0	0	0	8
672.0	Fauvette à couronne rousse (race de l'Ouest)	10	0	0	1	1	0	141	13	0	14	0	0	0	170
672.9	Fauvette à couronne rousse, sous-espèce jaune	4	5	0	35	0	0	2	0	0	0	0	0	0	42
673.0	Fauvette des prés	2	0	0	1	0	0	1	0	0	0	0	0	0	2
674.0	Fauvette couronnée	27	10	0	51	69	4	311	41	0	11	0	0	0	497
675.0	Fauvette des ruisseaux	17	250	0	117	7	3	180	46	0	6	4	0	0	613
676.0	Fauvette hoche-queue	2	0	0	0	0	0	5	0	0	0	0	0	0	5
678.0	Fauvette à gorge grise	4	0	0	0	0	0	21	4	0	3	0	0	0	28
679.0	Fauvette triste	18	23	0	21	0	5	92	4	0	2	0	0	0	147
680.0	Fauvette des buissons	1	0	0	0	0	0	0	0	0	0	4	0	0	4
681.0	Fauvette masquée	28	0	0	106	17	3	656	22	0	6	0	0	0	810
683.0	Fauvette polyglotte	3	0	0	0	0	0	9	0	0	0	0	0	0	9
684.0	Fauvette à capuchon	2	0	0	0	0	0	10	0	0	0	0	0	0	10
685.0	Fauvette à calotte noire	21	29	0	67	0	11	240	5	0	60	0	0	0	412
686.0	Fauvette du Canada	24	0	0	27	58	9	300	6	0	2	0	0	0	402
687.0	Fauvette flamboyante	26	12	0	56	147	1	392	3	0	75	1	0	0	687
688.2	Moineau domestique	12	0	0	0	0	2	719	0	0	18	3	0	0	742
697.0	Pipit commun	2	0	0	0	0	0	12	0	0	0	0	0	0	12
703.0	Moqueur polyglotte	1	0	0	0	0	0	3	0	0	0	0	0	0	3
704.0	Moqueur chat	26	0	0	1	2	2	514	142	0	3	0	0	0	664
705.0	Moqueur roux	15	0	0	0	0	1	162	2	2	0	0	0	0	167
718.0	Troglodyte de Caroline	1	0	0	0	0	0	1	0	0	0	0	0	0	1
719.0	Troglodyte de Bewick	1	0	0	0	0	0	1	0	0	0	0	0	0	1
721.0	Troglodyte familier	21	0	0	1	0	0	195	37	13	61	0	0	0	307
722.0	Troglodyte des forêts	10	0	0	1	1	0	78	0	0	0	0	0	0	80
724.0	Troglodyte à bec court	1	0	0	0	0	0	2	0	0	0	0	0	0	2
725.0	Troglodyte des marais	7	0	0	0	0	0	15	0	0	16	51	0	0	82
726.0	Grimpereau brun	16	0	0	2	1	1	485	0	0	1	0	0	0	490
727.0	Sittelle à poitrine blanche	16	0	0	0	0	0	75	0	1	7	0	0	0	83
728.0	Sittelle à poitrine rousse	11	0	0	2	0	3	194	0	0	2	0	0	0	201
731.0	Mésange huppée d'Amérique	1	0	0	0	0	0	1	0	0	0	0	0	0	1
735.0	Mésange à tête noire	41	13	0	0	20	8	1 215	2	14	336	19	0	0	1 627
740.0	Mésange à tête brune	7	11	0	7	2	0	140	0	0	8	0	0	0	168
748.0	Roitelet à couronne dorée	17	0	0	42	11	1	623	39	0	0	0	0	0	716
749.0	Roitelet à couronne rubis	23	48	0	23	0	3	1 127	85	0	28	0	0	0	1 314
751.0	Gobe-moucherons gris-bleu	2	0	0	0	0	0	35	0	0	0	0	0	0	35
755.0	Grive des bois	13	0	0	0	5	0	93	0	0	0	0	0	0	98
756.0	Grive fauve	16	0	0	1	19	3	171	5	0	1	0	0	0	200
757.0	Grive à joues grises	11	7	0	0	0	0	106	3	0	1	0	0	0	117
758.0	Grive à dos olive	26	131	0	11	33	14	876	6	0	28	7	0	0	1 106
759.0	Grive solitaire	23	33	0	12	30	9	447	0	0	26	0	0	0	557
761.0	Merle d'Amérique	36	55	0	7	8	35	569	10	0	99	614	0	0	1 397
765.0	Traquet motteux	1	0	0	0	0	0	1	0	0	0	0	0	0	1
766.0	Merle-bleu à poitrine rouge	8	0	0	0	0	0	204	0	0	0	0	0	0	204
768.0	Merle-bleu des montagnes	2	0	0	0	0	0	0	0	143	92	0	0	0	235
	Total des oiseaux		4 641	682	6 458	5 684	8 760	80 430	29 529	24 839	21 347	5 563	7 125	339	19 539
	Total des espèces, sous-espèces, hybrides		50	8	109	79	84	232	99	59	125	57	26	7	299